

### Shri Shivaji Education Society's **Board for Higher Education Vidyanagar Karad**





#### YASHWANTRAO CHAVAN COLLEGE OF SCIENCE, KARAD

#### **Department of Chemistry**

Year 2021-22

Name of activity- "Water Expedition: On-Field TDS Checking"

### **Index**

Sr. No.	Name	
1.	Hanmat Parshuram Adsul	
2.	Vijaykumar Ramchandtra Gjadage	
3.	Suresh Bhimrao Kumbhar	
4.	Prakash Namdev Sathe	
5.	Umesh Mahadev Bamane	
6.	Bhagyalaxmi Vijay Jadhav	
7.	Shobha Shahaji Pawar	
8.	Vashaoli Machindra Bhosale	
9.	Abaso Rajaram Tambarekar	
10.	Sulbha Maruti Shinde	
11.	Sanjay Uttam Chavan	
12.	Kanchan Shivaji Hawal	

Department of Chemistry Yashwantrao Chavan College of

Science, Karad

**Principal** Yashwantrao Chavan College of Science, Karad

Yashwantrao Chavan College of Science, Karad		
Department of Chemistry		
	Extension Activity 2021-22	
Name of activity- "Water Expedition: On-	Field TDS Checking"	
Purpose:	<b>Health Awareness:</b> Increase awareness about the link between water quality, particularly Total Dissolved Solids (TDS), and community health.	
	Assess Water Quality: Evaluate the overall quality of water in the	
	community.	
	Public Health Improvement: Contribute to improved public health	
	outcomes by addressing potential waterborne health risks.	
No. of beneficiaries:	12	
Outcome/ success achieved:	Community Awareness: Increased awareness about water quality and the importance of TDS levels in the community. People become more conscious of the factors influencing their water supply.  Health and Well-being: Identification of potential water quality issues can lead to improved health outcomes for the community. Addressing high TDS levels or other contaminants can contribute to a healthier water supply.	
	Community Resilience: By actively addressing water quality concerns, the community becomes more resilient to potential challenges related to water contamination or scarcity.  Positive Public Relations: If the initiative is well-publicized, it can	

Dr. R.S. Patil

Dr. U. P. Lad

Mrs. P. P. Patil



Teachers involved in the activity

Science, Karad



Yashwantrao Chavan College

of Science, Karad

Mr. B. E. Mahadik Mr. G. B. Dhake

Dr. S. D. Jadhav

Mrs. M. B. Jagadale

enhance the public image of your organization or department,

Prof. Dr. S. H. Burungale Prof. Dr. A. V. Mali Mr. A. N. Bhingare

Mr. S. D. Karande

Mrs. S. R. Veer

showcasing a commitment to community well-being.



#### **Department of Chemistry**

Name of activity- "Water Expedition: On-Field TDS Checking"

Sr. No	Name	Address	Mobile No.	Sign
١	Hannant Parshuram Adsul	Prasad Residency, Banaundi	9860394903	Or,
2	Vijapkumar Ramchaudm Ghadge		9421213076	STUMM!
3	Suresh Bhinarao Kumbhu	Abusahel Puntehan Norgan, Bunaundi	9527454712	Ranbhs
4	Prakash Namdow Sathe	Abasaheb Parlekar Nagar, Banaundi	9527574554	thite-
5	Vmesh Mahader Bamane	Abacahel Parlekar Nager, Banawadi	9561457214	John
6	Bhagyalaxni Vij'ax Jadhav	Pravad Residency, Banawach'	9850764066	20
7.	Shobha Shahaji Pawar	Prasad Residency, Banawadi	9689690770	++ -
8	Vouishali Machindra Bhosale	Prasad Residency, Banawadi	9146318771	MB
9	Abaso Rajarum Tambarekar	Prasad Residency, Banawadi	9922460911	ART

### **Department of Chemistry**

Name of activity- "Water Expedition: On-Field TDS Checking"

Sr. No		Name			Address	Mobile No.	Sign
10	sulbha m	laruti	Shinde	Prasad	Residency, Banawadi'	9936798466	SMSCi
IJ	Sanjay (	Ham	Chavan	Prasad	Residency, Banawadi	8975315353	Chan
12	Kan Chan	Shiva			Residency, Banawach.	9762946603	Her
			·		Chavan College		

Head

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date:

17.12.2021

Name of activity- "Water Expedition: On-Field TDS Checking"


Hummant. Parshuram Adsul

Address

Prasud Rendency, Danaunds

TDS

PPT = 1>8 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

Conclusion - This water is Potable : Yes / No

Head

havan Co

**Department of Chemistry** 

Date: 17/12-204

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

Address

Vijaplenmar Ramchandra Gladge Abasaheb Parlebar augur, Ormande

TDS

0,219 PPT = 219 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

Conclusion - This water is Potable: Yes / No

Head

**Department of Chemistry** 

Date: 17,12, 2021

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


Suresh Dhimrad Kumbhar

Address

: Abuschels Parleter Nagar, Bunaundi

**TDS** 

:0:16 2 PPT = 162 PPM



Level of TDS (milligrams per lit)	Rating	
Less than 300	Excellent	
300-600	Good	
600-900	Fair	
900-1200	Poor	
Above 1200	Unacceptable	

Conclusion - This water is Potable : Yes / No

Head

Department of Chemistry Yashwantrao Chavan College of CHEMISTRY

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date: 12.12.2021

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


Porlash Namder Sathe

Address

Abasahels Purlehar Nagar, Baharndr

TDS

: 0.138 PPT = 138 PPM



Level of TDS (milligrams per lit)	Rating	
Less than 300	Excellent	
300-600	Good	
600-900	Fair	
900-1200	Poor	
Above 1200	Unacceptable	

Juon

CHEMISTRY

\* Karad

Conclusion - This water is Potable : Yes / No

Head

**Department of Chemistry** 

Date: 17,12,2021


Name of activity- "Water Expedition: On-Field TDS Checking"

Vmesh Mahader Barnane Abasahels Partelen Magar, Barnane

Address

**TDS** 

: 01176 PPT = 176 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

Conclusion - This water is Potable: Yes / No

Head

Jeoner

CHEMISTRY

\* Karad

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date:

15:3.2022

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


Bhagyalaxui Vijax Jadhar

Address

Prasad Residency, Banawadi

**TDS** 

: 0.172 PPT = 172 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

Conclusion - This water is Potable : Yes / No

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date:

15.3.2022


Name of activity- "Water Expedition: On-Field TDS Checking"

Shobha Shahaji Pawar. Prniad Residency, Banawadi

Address

TDS

: 0-197 PPT = 197 PPM



Level of TDS (milligrams per lit)	Rating	
Less than 300	Excellent	
300-600	Good	
600-900	Fair	
900-1200	Poor	
Above 1200	Unacceptable	

Conclusion - This water is Potable : Yes / No

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date:

15.3.2022

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


Vaishali Machindra

Address

Prasad Residency, Banawadi

TDS

0.151 PPT = 151 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

avan Co

Karad

Conclusion - This water is Potable : Yes / No

Head Department of Chemistry Yashwantrao Chavan College of

**Extension Activity 2021-22** 

**Department of Chemistry** 

Date: 15-3-2022

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

: Abaso Rajaram fambarekar : Prasad Residency Banawadi

Address

TDS

: 0/140 PPT = 140 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

Conclusion - This water is Potable : Yes / No

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date: 15.3.2022

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


Subha Maruti Shiude

Address

Prasad Residency, Banawach

**TDS** 

: 0.392 PPT = 392 PPM



Level of TDS (milligrams per lit)	Rating
Less than 300	Excellent
300-600	Good
600-900	Fair
900-1200	Poor
Above 1200	Unacceptable

Conclusion - This water is Potable : Yes / No

Head

NWantra

Department of Chemistry Yashwantrao Chavan College of

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date: 15,3,2022

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

Address

: Sanjay Uttam Chavan : Prasad Residency, Banawadi

**TDS** 

: 0.375 PPT = 375 PPM



Level of TDS (milligrams per lit)	Rating	
Less than 300	Excellent	
300-600	Good	
600-900	Fair	
900-1200	Poor	
Above 1200	Unacceptable	

Conclusion - This water is Potable : Yes / Nø

Head

Department of Chemistry Yashwantrao Chavan College of

Jum

CHEMISTR

A Karad

### **Extension Activity 2021-22**

**Department of Chemistry** 

Date:

15.3.2022


Name of activity- "Water Expedition: On-Field TDS Checking"

Address

: Kanchan Shivaji Hemal : Prasad Residency, Banawadi

**TDS** 

: 0,720 PPT = 720 PPM



Level of TDS (milligrams per lit)	Rating	
Less than 300	Excellent	
300-600	Good	
600-900	Fair	
900-1200	Poor	
Above 1200	Unacceptable	

Conclusion - This water is Potable : Yes / No

Head

now

CHEMISTR