

Shri Shivaji Education Society's Board for Higher Education Vidyanagar Karad





YASHWANTRAO CHAVAN COLLEGE OF SCIENCE, KARAD

Department of Chemistry

Year 2022-23

Name of activity- "Water Expedition: On-Field TDS Checking"

Index

| Sr. No. | Name | |
|---------|----------------------------|--|
| 1. | Rajendra Ramchandra Thorat | |
| 2. | Pramila Rajendra Thorat | |
| 3. | Yashwant Daji Padalkar | |
| 4. | Pramod Bhimrao Sathe | |
| 5. | Adam shaikh | |
| 6. | Ulhas Chougule | |
| 7. | Ravindra Akaram Kambale | |
| 8. | Patangrao Dattatray Chavan | |

Head
Department of Chemistry
Yashwantrao Chavan College of
Science, Karad



Principal
Yashwantrao Chavan College
of Science, Karad

| Yashwantra | o Chavan College of Science, Karad |
|--------------------------------------|---|
| | Department of Chemistry |
| | Extension Activity 2022-23 |
| Name of activity- "Water Expedition: | On-Field TDS Checking" |
| Purpose: | Health Awareness: Increase awareness about the link between water quality, particularly Total Dissolved Solids (TDS), and community health. Assess Water Quality: Evaluate the overall quality of water in the community. |
| | Public Health Improvement: Contribute to improved public health |
| | outcomes by addressing potential waterborne health risks. |
| No. of beneficiaries: | 08 |
| Outcome/ success achieved: | Community Awareness: Increased awareness about water quality and the importance of TDS levels in the community. People become more conscious of the factors influencing their water supply. Health and Well-being: Identification of potential water quality issues can lead to improved health outcomes for the community. Addressing high TDS levels or other contaminants can contribute to a healthier water supply. Community Resilience: By actively addressing water quality concerns, the community becomes more resilient to potential challenges related to water contamination or scarcity. Positive Public Relations: If the initiative is well-publicized, it can enhance the public image of your organization or department, showcasing a commitment to community well-being. |
| Teachers involved in the activity | Prof. Dr. S. H. Burungale Prof. Dr. A. V. Mali Mr. A. N. Bhingare Dr. R.S. Patil Mr. B. E. Mahadik Mr. G. B. Dhake |

Dr. U. P. Lad

* Karad *





Mr. S. D. Karande

Mrs. P. P. Patil

Dr. S. D. Jadhav

Mrs. S. R. Veer





Department of Chemistry
Yashwantrao Chavan College of
Science, Karad

Yashwantrao Chavan College of Science, Karad

Yashwantrao Chavan College of Science, Karad **Extension Activity 2022-23**

Department of Chemistry

Name of activity- "Water Expedition: On-Field TDS Checking"

| Sr. No | Name | Address | Mobile No. | Sign |
|--------|-------------------------------|-----------------------------------|------------|------------|
| 1 | Rajeudra Ramchandra Thorat | Savitribai Phule Colony, Banawadi | 9420628716 | dmnyin |
| 2 | Pramila Rajendra Thorat | Savitribai Phule Colony, Banawadi | 9834083220 | gun mit |
| 3 | Yashwant Daji Padalkar | Savitaibai Phule colony Banawadi | 9623242966 | Indi |
| 4 | Pramod Bhimmao Satae | Savitobii Paule Colony Banaundi | 9850837910 | P-SP-PS |
| 5 | Adam shaikh | Savitribai Phule Colony, Banaandi | 9730177986 | Anothorish |
| 6 | Uthas changale | Savitribai phule colony, Banawadi | 9860816589 | Thoy |
| 7 | Ravindra Akaram Kamble | Sanitribai Phule Olony, Banaundi | 9403348351 | |
| 8 | Parkangsao Dattatoraya Chavan | Savitorbai Peule Wory, Banaundi | 9423738258 | Alt |
| | 3 | chavan co | | |

Head

Department of Chemistry
Yashwantrao Chavan College of
Science, Karad

Extension Activity 2022-23

Department of Chemistry

Date: 16,3.2023

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


: Rajendra Ramehandra Thorat.

Address

: Savitribai Phule Colony, Banawadi

TDS


0.168 PPT = 168 PPM



| Level of TDS (milligrams per lit) | Rating |
|-----------------------------------|--------------|
| Less than 300 | Excellent |
| 300-600 | Good |
| 600-900 | Fair |
| 900-1200 | Poor |
| Above 1200 | Unacceptable |

Conclusion - This water is Potable : Yes / No

Department of Chemistry Yashwantrao Chavan College of Science, Karad



Extension Activity 2022-23

Department of Chemistry

Date: 16.3, 2023

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

Address

: Pramila Rajendra Thorat : Savitribai Phule, colony, Banawadi

TDS

: 1.466 PPT = 1466 PPM



| Level of TDS (milligrams per lit) | Rating | |
|-----------------------------------|--------------|--|
| Less than 300 | Excellent | |
| 300-600 | Good | |
| 600-900 | Fair | |
| 900-1200 | Poor | |
| Above 1200 | Unacceptable | |

Morrow

Conclusion - This water is Potable : Yes / No

Head

Department of Chemistry Yashwantrao Chavan College of

Science, Karad

Extension Activity 2022-23

Department of Chemistry

Date: 16,3.2023

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

: Yashwant Daji Padalkan : Savitoribai Phule Colony, Banaunch'

Address

TDS

0,126 PPT = 126 PPM



| Level of TDS (milligrams per lit) | Rating |
|-----------------------------------|--------------|
| Less than 300 | Excellent |
| 300-600 | Good |
| 600-900 | Fair |
| 900-1200 | Poor |
| Above 1200 | Unacceptable |

Conclusion - This water is Potable : Yes / No

Head Department of Chemistry Yashwantrao Chavan College of

Science, Karad

Non

Extension Activity 2022-23

Department of Chemistry

Date: 16.3. 2023

Name of activity- "Water Expedition: On-Field TDS Checking"

Name

Pramod


Bhimrao

Address

Savitribai Phule colony, Banawadi

TDS

ortle PPT = 116 PPM



| Level of TDS (milligrams per lit) | Rating | |
|-----------------------------------|--------------|--|
| Less than 300 | Excellent | |
| 300-600 | Good | |
| 600-900 | Fair | |
| 900-1200 | Poor | |
| Above 1200 | Unacceptable | |

real

Conclusion - This water is Potable : Yes / No

Head Department of Chemistry Yashwantrao Chavan College of Science, Karad

Extension Activity 2022-23

Department of Chemistry

Date: 16,3,2023

Name of activity- "Water Expedition: On-Field TDS Checking"

Name


Adam Shaikh

Address

Savilribai phule Colony, Banaundi

TDS

1.862 **PPT** = 1862 **PPM**



| Level of TDS (milligrams per lit) | Rating |
|-----------------------------------|--------------|
| Less than 300 | Excellent |
| 300-600 | Good |
| 600-900 | Fair |
| 900-1200 | Poor |
| Above 1200 | Unacceptable |

Conclusion - This water is Potable : Yes / No

Head \
Department of Chemistry
Yashwantrac Chavan College of
Science, Karad

Yashwantrao Chavan College of Science, Karad **Extension Activity 2022-23**

Department of Chemistry

Date: [6,3,2023

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

Address

Ulhas Chongule. Savitribai Phule Colony Bangandi

TDS

0.367 **PPT** = 367 **PPM**



| Level of TDS (milligrams per lit) | Rating |
|-----------------------------------|--------------|
| Less than 300 | Excellent |
| 300-600 | Good |
| 600-900 | Fair |
| 900-1200 | Poor |
| Above 1200 | Unacceptable |

Conclusion - This water is Potable : Yes / No

Department of Chemistry Yashwantrao Chavan College of Science, Karad

Extension Activity 2022-23

Department of Chemistry

Date: 46.3.2023


Name of activity- "Water Expedition: On-Field TDS Checking"

Address

Ravindra Aharam Kamble Savitaibai phule colony Banacondi.

TDS

: 1,273 PPT = 1273 PPM



| Level of TDS (milligrams per lit) | Rating |
|-----------------------------------|--------------|
| Less than 300 | Excellent |
| 300-600 | Good |
| 600-900 | Fair |
| 900-1200 | Poor |
| Above 1200 | Unacceptable |

from

Grad *

Conclusion - This water is Potable : Yes / No

Head Department of Chemistry Yasto antrao Chavan College of Science, Karad

Extension Activity 2022-23

Department of Chemistry

Date: 16.3.2023

Name of activity- "Water Expedition: On-Field TDS Checking"


Name

Address

Patangrao Deltontraya Charren Savitorbai Plule colony Bounaundi

TDS

0.160 PPT = 160 PPM



| Level of TDS (milligrams per lit) | Rating |
|-----------------------------------|--------------|
| Less than 300 | Excellent |
| 300-600 | Good |
| 600-900 | Fair |
| 900-1200 | Poor |
| Above 1200 | Unacceptable |

Conclusion - This water is Potable : Yes / No



Head Department of Chemistry Yashwantrao Chavan College of Science, Karad